		Feature list per editions (v1.28.0 Jul. 30 2024)			
1	App	Features Licensing type	Premier Essentials Single Server		Global Edition Central & Multi-Server / Multi Client
		Installation versions		32Bit &	64Bit
_	~	Core license offerings Server Connections: Number of connected Clients Supported	9 - 16	24 - 48 - 72 - 96 Unlin	50 - 100 nited
nera	ture	Version updates - Major releases are quarterly and maintenance releases typicaly one to two months after a major release		Free during active w	
Ge	Fea	Warranty: Core License - Offers access to major and maintenance releases during the active subscription coverage. (Life time technical support & resources) Renewal / Extention: Core License		2 Year core license w 1, 2, 3, 4, 5, 6, 7, 8 Y	
		Channel upgrade options - Single channel add-on with an MOQ (minimum order quantity) of 6 channels in Premier and Global editions Warranty: Channel Add-ons - Automatically covered under the balance of the 2 year core license warranty (Core license renewal / extension coverage not included)	N/A N/A	Covered under	Channel additions remaing 2-yr Core License warranty
		Renewal /Extention: Channel Add-ons - Renewal /Extension license required if past the core license 2-yr coverage (Core License renewal / extension coverage not included)	N/A N/A		5, 6, 7, 8 Year renewal options
	App	Features	Essentials	Premier	Global
		Archive Backup Wizard (Includes support for Visual Groups)	_		
		Advanced Window Settings: Video Wall Composite Screen (Tiles) Automatic stream selection for archive playback	_		
		User Buttons: List of User Buttons (Support of Visual Folders, Server Association, Merged Resources) Command Mapping: Archive, Device, Layout, Playback, Window	_		
		Channels: List of Channels (Support of Visual Folders, Server Association, Merged Resources)	1		
		Channel Status: Green - Passive / White - Online / Red - Offline Client Full Screen / Minimize / Restore / Exit	_		
		Client Tree: Collapse / Minimize	_		
		Client Configuration Import/Export Cloud connector service (Easy connect to remote Premier servers, BETA) ***New in 1.28.0***			
		Connections: Multi-Server connection grouping GPU hardware decoding for H.264 & H.265 codec, and performance test utility			
		HTTP based API commands	_		
		Layouts: List of Layouts from Built-in (60), Custom, Sequence, Shared (Requires CORTROL Global) Layout Synchronization Setting - Enable/Disable Live/Playback Layout synchronization	_		
	Ires	Layout auto select based on selected visual group			
	Featu	Login - Two factor authentication Multi-Cast Support	Available	Available	Available
		Maps: List of Maps (Support of Visual Folders, Server Association, Merged Resources)			
		Multi-Monitor Support: No limit to Number of Monitors (Hardware Limitation Only) Multi-Monitor Instant Playback support for 'Go to Playback' button send to Playback	_		
		Notification Panel: Font size adjustment setting, Show images (Thumbnail) for external service results, Dynamic position and scaling ONVIF metadata support: Bounding box & classification overlay in Live and Playback	-		
		Option to export/import custom ONVIF events ***New in 1.28.0***			
		Plugin integration: i-PRO Active Guard OSS, Watch lists server evets integration Show child nodes when searching in Client application tree view	_		
		Search (Includes associated Child Nodes): Client Search of Layouts, Channels, Maps, Buttons	-		
		Search for the Client application settings ***New in 1.28.0*** Snapshot Export: File Name Template / Subtitles / To PDF Report			
		Status: Online / Offline Server Associated Layouts, Channels, Maps, Buttons Support for the Axis LPR plugin (version 2.9) ***New in 1.28.0***			
		Theme: Use Color to Highlight Important Functions/Features	_		
		Time Presentation: Toggle Between Local / UTC / Server Time (Scroll Server List) User Guide: Client User Guide	_		
		Action/Status Icons: Recording Status, Recording Type, Codec, Resolution, FPS, Bitrate	_		
		Aspect Ratio Toggle: Toggle between Auto / Stretch / Original Bookmark Add: Date/Time, Title, Description, Severity level by color	-		
		DPTZ and Dewarping; Region (PiP + Zoom In/Out) & PTZ (Virtual Pan/Tilt, 180° Pano, 360° View) Fisheye, hardware accelerated dewarping			
Ħ		Instant playback: Go to Date/Time, Audio, Motion status, Bookmark, Snapshot, Video Export	-		
, Clie		Layout Save Properties: Title, Presets, Shared (Shared layouts requires Global) Layout Pop-up Quick Select: multi-item selection, (cameras/maps), live stream layout popup	_		
CORTROL Client		Lock Viewport: Prevents Pop-up Superseding Existing Channel	-		
ORT		Multi-Display: Startup Layout, Sequence, Channel & Map or Layout Pop-ups Map Support: eMaps, Geo-Maps (Linked Mobile GPS Meta Data), Visual Indicators, Action Links, Visual Camera Marker Live Preview pop-up	_		
0	ive	Microphone: Transmit Audio to Device (Device Support/Configuration Required) Motion Grid: On/Off Detection Status Overlay	Available	Available	Available
	Г	Notification Pane: Display E&A Notifications of Events, and or Alerts			
		Point-to-click PTZ for devices that support it ***New in 1.28.0*** PTZ: Presets, Tours, Iris & Focus, Joystick Support, HUD/Classic UI	_		
		Pop-Up Support: Pop-up Windows, Layouts, Notifications, Dialog Boxes	_		
		Substream Toggle: Toggle between Substream, Primary Stream, and Auto Speaker: Receive Audio from Device (Device Support/Configuration Required)			
		Undo/Redo: Historical navigation of layout changes within liveview Viewport button to send channel to Sequence Explorer	-		
		Viewport button to send channel to Smart Search	]		
		View non-interactive websites Viewport Title: Channel Title, Channel Swap by Drag & Drop, User Button(s)	-		
		Visual Shortcuts: Visual support for fast channel navigation Archive Search Navigation:			
		Archive Search Bookmarks: Search Record Limit 1,000 Bookmarks	-		
		Archive Search Bookmarks, Video Analytics, Calender Archive Search: Data Protection / Deletion (User Authentication Required)	-		
		Continuous playback for the Smart Search mode in the Client application ***New in 1.28.0***			
		Visual Shortcuts: Visual support for fast channel navigation Copy Exported Video to user defined media, option of Portable player			
	농	Export: Case management video - multiple channels with custom date and time ranges Export List Entry Events to a CSV File (Bookmarks, VCA)	-		
	Playback	Export Video: With/Without Audio - Selected Channel, All Channels Combined, All Channels Separate	Available	Available	Available
	μ	Export Video: VP8 and JPEG compression includes dewarped images and VA metadata overlay Export Snapshot: Sub-Titles, Selected Channel, Multi-Channel (All Visible Channels)	-		
		Geo-Maps Playback with Mobile GPS meta data support	1		
		Motion Blur Upon Export (IDentity Protection) Playback speed controls: regular, slow and fast (Up to 8x speed)	-		
		Playback Channel Statistics: Recording Type, Codec, Resolution Timeline and bookmarks thumbnail preview	_		
		Timeline Presentation Mode: Summary, Selected Channel, Separate Timeline per channel			
		Undo/Redo: Historical navigation of layout changes within playback view Export Snapshot per Single Channel Selection			
		Export Video Clip: Entire Start to End Date/Time Selection, One or More Channels			
	uence	Make New Sequence (Select Two or More Channels) Select Start & End Date/Time	Available	Available	Available
	Sequ	Send to Playback: Entire Start to End Date/Time Selection, One or More Channels Sequence Layout 3x4 ~ 5x5	Available	Available	Available
		Split Prior / Next Footage (Based on Selected Measure of Time)			
		Undo/Redo: Historical navigation of layout changes within sequence view	1		

		Feature list per editions (v1.28.0 Jul. 30 2024)			
		Send to Playback			
		Add Bookmark	_		
	rch	Export Video Clip Live Preview	-		
	Sea	Live review Search by Date/Time Search by Date/Time	Available	Available	Available
	Smart	Set Region of Interest with Additive Function Supported			
	S	Multi Layout support 3x3 ~ 6x6	-		
		Prior / Next Result Move to Function There is in Participant Control of the			
-		Export List Entry Events to a CSV File Logon/Logout Alerts			
		Carera Events			
	Alerts	Operational errors	Available	Available	Available
	F	Stream Errors	-		
		Server & Device - Connectivity Errors System Level Alerts	-		
		Open Experied Snapshot/Video Based on Select Entry			
	Library	Show in Windows Explorer (Open Folder Containing Exported Media)	Available	Available	Available
	E	Copy to (Copy Exported Media to Selectable Device, Local Folder, Thumb Drive, External Hard Drive			
	nn	Delete Selected Exported Snapshot / Video Entry from Library Features	Premier Essentials	Premier Eddition	Global Edition
-	рр	Nulti Monitor Support	Trenner Essentiais	Trenner Eduluon	Giobal Edition
		Display Number			
	Wall	Primary or Not (If Set)	-		
	A 03	Startup Layout (If Set) Charged (June Dee une (Allumid as Nat)			Available
	Video	Channel / Map Pop-ups (Allowed or Not) Layout Pop-ups (Allowed or Not)	-		
		Sart Fullscen / No Fullscen			
		Video Wall Screen Number if set	-	1	
		Add Bookmark	-		
		Export Snapshot Export Video Clip	-		
	ces	Export View Cuty Export List Entry Events to a CSV File			1
	Sources	Go to Date/Time (Any Date/Time)	Available	Available	Available
	ta S	Jog Shuttle Support	Available	Available	Available
	Data	Motion Grid On/Off	-		
		Search by Date/Time Search by Text (Enter Partial, to Complete Spelling)			
		Send to Playback	-		
		Analytics Based Charts - Bar, Graph, Pie			
		Heat-Map Reports from Reports Tab	-		
	Reports	Report Counters: Counts Based on Device/Server Side Analytics Meta Data Report Interval - Start & End Date/Time	Available	Available	Available
	Rel	Filters - Week/Dayx/Time			
		Aggregation			
		Counter Value			
		Access View by Events, Door Events, Cardholders Add Bookmark	-		
	-	Aud Downiaix Export Snapshot			
	ntrol	Export Video Clip			
ient	Cont	Go to Date/Time (Any Date/Time)	Available	Available	Available
Ľ	Access	Lock Status - Lock/Unlock/Temporary Unlock	-		
RO	Ac	Motion Grid On/Off Preview per Selected Event	-		
CORTROL Client		Search Interval - Start Date/Time, End Date/Time			
ы С		Send to Playback			
	-	Add Bookmark	-		
	itio	Audio Playback On/Off Add Subject to FR database (Requires FR version 3.1.1 or newer)			
	ecognition	Export Video Clip, Snapshot, List Entry Events to a CSV File	Available	Available	Available
	¥	Go to Date/Time (Any Date/Time)	Available	Available	Available
	Face		4		
	Ť.	Search by Single Channel, Tag, Date/Time, Person's Name, Image (Browse to Image, Send from Playback) Send to Playback	1		
		Export Videa R Export Videa Clip, Snapshot, List Entry Events to a CSV File			
	Module	Search by Single Channel, Plate Characters, Tag, Date/Time			
	Mo	Send to Playback	Available	Available	Available
	LPR	Go to Date/Time (Any Date/Time) Motion Grid On/Off	1		
	Г	Add Bookmark			
	e	Display event by/in assigned event/tag color			
	Service	Export Video Clip, List Entry Events to a CSV File	4		
	l Se	Search by text entry, Date/Time Send to Playback	Available	Available	Available
	шa	Sent to rayback Go to Date/Time (Any Date/Time)	andoc	anabic	
	External	Motion Grid On/Off	1		
	-	Add Bookmark			
		Alarm que management	4		
	е	Alarm que for bookmarked events Export: Alarm que list	4		
	Pa	Export. Animi que ins Filter by Text, Severity, Channels, and groups	Aug:1-1-1-	Anolahla	Anail-bl-
	arm	Group by channel, type	Available	Available	Available
	Ala	Review: Live alarm channel, Instant playback of alarm event	4		
		Realtime updates, comments, status change Search by Title, Status	4		
		Dearen oy rine, baaus	1		

		Feature list per editions (v1.28.0 Jul. 30 2024)			
		Feature list per editions         (v1.28.0 Jul, 30 2024)           Application Startup: Exclusivity, Locked & Exclusivity, Regular Mode         (v1.28.0 Jul, 30 2024)			
		Audo-Expand Server nodes in Layout, Channel, Map, and User Button panels			
		Audo-Expand Visual groups in Layout, Channel, Map, and User Button panels			
		Auto logout setting in Client application after user inactivity			
		Audio Notification: Enable/Disable - Sound File Selection	_		
		Action/Status Icons: Always On / On If Selected / Always Off	_		
		Client Watchdog Client Update Notification	-		
		Control of unisher tracks' resolution selection upon export			
		Hardware decoder information in viewport video overlay: Show / Hide			
	Sh.	Instant Playback: Default Duration			
	ţi.	Instant Playback: Default mode Setting	Available	Available	Available
	Settin	Library Location Selection	-		
		Substream: Prefered in playback mode Substream toggle: Default mode - Auto, substream, mainstream	-		
		Substant togge. Default mode * Auto, substant, mainsteam Pause Decoding for Background Channels when Minimized Pause Decoding for Background Channels when Minimized Pause Decoding for Background Channels when Minimized Pause Decoding for Background Channels Pause Paus	-		
		Tass Decomp on Deceptore view manufacture and the second s			
		Snackbar style alert notifications			
		Snapshot Export: File Name Template / Subtitles			
		Snapshot Export: Enable/Disable annotation of External Data and Video Analytics/Metadata			
		Timestamp: Viewport information overlay - Show / Hide / Milliseconds / Font size / Font color / Word wrap / Position / Decoder information	_		
		Tooligs Pop-up			
		Video Export: File Name Template / Video Format / Subtitles	-		
		View Ports: Enable/Disable transmitting data when in background API for third party integrations (Bookmark severity supported)			
		APT for fund party integrations (Bookinank severity Supported) Automated Backup: Date Time/Interval & Direction Locaton Selection	-		
		Automater Daskay Dater Timerinet van de Direction Locatori Selection Administration Guide Hyper Link			
		Auministration Guide Typer Limit Archive size/duration: No Software Limitation	1		
		Column Management: Order of Priority - AddRemove - Freeze	A	A	
		Cyber Security Dashboard / Show active issues / Export to CSV file	Available	Available	
		Cyber Security: Internal tags and subjects dedicated database	1		
		Login server history - Dropdown menu of prior servers	1		Available
	s	Server Login Switch: Management Console alternative Server login switch (Premier/Global Servers supported)	4		
	tin,	Management Console Setup Wizard (Prime / Premier / Global Specific Function Setup)			
	Fea	Organizational Hierarchal Support	-	1	
		Object ID's Show: Enable/Disable Display of CORTROL API Object Classification ID System Upgrade: Server, Console, Client Applications (Recording Server is Global Specific) - Hotfix tasks	-		
		System Opgrate: server, Console, Uniter Applications (Recording Server is Goodal Specific) - nonix dasks Search Function: System Wide Search and Filter Functionality	Available	Available	
		Service Mode: Ran as & Remel Level Service Service Mode: Service Mode Service			
		Show Monitoring Warnings: Enable / Disable			
		Server Configuration Management - Local / Remote User	Per Server		Centralized: Multi Server Management
		Video Analytics: Computational Neural Network Engine (CNNE) offering server side support for Nvidia GPU (CUDA)			
		Video Analytics Support: Server, Edge, Meta Data (Device Specific Support)	Available	Available	Available
		Virtual Machine Environment support			
1	Арр	Features	Premier Essentials	Premier Eddition	Global Edition
	res				
	륲	View modifier "Structured View" hides group associated items (Available via "Configuration" functions that support object grouping)	Available	Available	
	Featu				
	Fes	Audit Policy: Access Control events - Lock/Unlock/Temp Unlock actions performed by a user Server/User Events, Uncategorized - Max Records 10K, Max Days Unlimited	-		
	Fea	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta	-		
	Fer	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery	-		
	Fer	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator	-		
	Fe	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator Browser Support: Chrome, and Firefox	-		
	Fee	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator Browser Support: Chrome, and Firefox Complex Password Security Policy Supported, with account lockout on N attempts			
	Fee	Authentication: Two factore via Email & SMS, CLAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator Browser Support: Chrome, and Firefox Complex Password Security Policy Supported, with account lockout on N attempts Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption	-		
	Fee	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator Browser Support: Chrome, and Firefox Complex Password Security Policy Supported, with account lockout on N attempts			
	Fee	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator Browser Support: Chrome, and Firefox Complex Password Security Policy Supported, with account lockout on N attempts Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server	Amilabla	Available	Available
	works	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator Browser Support: Chrome, and Firefox Complex Password Security Policy Supported, with account lockout on N attempts Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption External Audit: External database support for PostgresQL, MySQL, Microsoft SQL Server Failover Node Role - Used by CORTROL Recording Server	Available	Available	Available
	Networks	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery Bookmark Policy: Max Recording Server Discovery Browser Support: Chrome, and Firefox Complex Password Security Policy Supported, with account lockout on N attempts Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption External Audit: External database support for PostgreSQL, MySQL Microsoft SQL Server Failover Node Role - Used by CORTROL Recording Server HTTP:HTTPS Support. Mobile App, Web GUI, and API Applications Membership / Permissions Assignment Support Mirroring Licensing Server (Global Support Only)	- Available -	Available	Available
ion	iworks	Authentication: Two factore via Email & SMS, CLAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records SOUK, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP:HTTPS Support: Mobile App, Web GUL and API Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Global Support Only)         NAS Support: Network & Remote Storage	- Available	Available	Available
ration	er / Networks	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta Auto Discover: Same Network Recording Server Discovery Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator Browser Support: Chrome, and Firefox Complex Password Security Policy Supported, with account lockout on N attempts Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server Failover Node Role - Used by CORTROL Recording Server HTTPH/TTPS Support: Mobile App, Web GUI, and API Applications Membership / Permissions Assignment Support Mirroring Licensing Server (Global Support Only) NAS Support. Network & Remote Storage NTP Server support. Ability to synchronize Windows time settings	- Available	Available	Available
figuration	iworks	Authentication: Two factore via Email & SMS, CLAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Camplex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP:/HTTPS Support: Mobile App, Web GUI, and API Applications         Membership / Permissions Assignment Support         Mirroing Licensing Server (Global Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Network & Remote Storage         Option to choose view source (view by server) in Console's Audit. **New in 1.28.0***	- Available	Available	Available
Configuration	er / Networks	Authentication: Two factore via Email & SMS, CLAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records SOUK, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgresQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP: HTTP: Support: Mobile App. Web GUL and API Applications         Membership / Permissions Assignment Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Protection: Proprietary Archive	-		Available
de Configuration	Server / Networks	Authentication: Two factore via Email & SMS, CLAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTPH/TTPS Support: Mobile App, Web GUL, and API Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Global Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Proprietary Archive         RTSP/SMTP/NTP/RTP	Available	Available	Available
e	Server / Networks	Authentication: Two factore via Email & SMS, CLAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records SORK, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP/HTTPS Support: Mobile App. Web GUI, and API Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Global Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Protection: Proprietary Archive         RTSP Server - Stream independent video channels	-		Available
e	Server / Networks	Authentication: Two factore via Email & SMS, CLAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTPH/TTPS Support: Mobile App, Web GUL, and API Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Global Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Proprietary Archive         RTSP/SMTP/NTP/RTP	-		Available
e	Server / Networks	Authentication: Two factore via Email & SMS, CLAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Recording Server Discovery         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP: HTTP: Support: Mobile App, Web GUL, and API Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Global Support Only)         NAS Support: Network & Remote Storage         Option to choose view source (view by server) in Consel's Audit ***New in 1.28.0***         Password Protection: Proprietary Archive         Password Protection: Proprietary Archive         Password Protection: Proprietary Archive         RTSP/SMTP/NTP/RTP         RTSP Server view mode data blobed, PW change, expired, OAuth token reset, User ID watermark over live video and playback    <	-		Available
e	Server / Networks	Authentication: Two factore via Email & SMS, CLAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Recording Server Configurable severity levels with colors indicator         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role: Support: Mobile App, Web GUL, and API Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Global Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Protection: Proprieting Archive         RTSP/SMTP/NTP/RTP         RTSP Server - Stream independent video channels         Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback </td <td>-</td> <td>Available</td> <td></td>	-	Available	
e	Server / Networks	Authentication: Two factore via Email & SMS, CLAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP:/HTTPS Support: Mobile App, Web GUI, and API Applications         Membership / Permissions Assignment Support Only         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Protection: Proprietary Archive         RTSPS/MTP/R/TP         RTSP SMTP/MF/RTP         RTSP SMTP/MF/RTP         Korage conjections and independent video channels         Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback         Storage Configuration Management: Directories, Duration Quota, Retention, Fallback	Available	Available Unlin	ited
e	Server / Networks	Authentication: Two factore via Email & SMS, CLAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records SOICK, MAX Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server:/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTPHTTPS Support: Mobile App, Web GUI, and API Applications         Membership / Permissions Assignment Support         Microsoft, Licosoft & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Protection: Proprietary Archive         RTSP Server - Stream independent video channels         Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback         Storage Configuration Management (Assigned Licenses)         Web & Mohile Client Connections Support         Web & Mohile Client Connections Support	-	Available	
e	Server / Networks	Authentication: Two factore via Email & SMS, CLAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Recording Server Discovery         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORFILOL Recording Server         HTTPHTTPS Support: Mobile App. Web GU, and PI Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Global Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Protection: Proprietary Archive         RTSPS/SMTP/NTP/RTP         RTSP Server - Stream independent video channels         Security Policy: Disconnet user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback         Storage Configuration Management: Directories, Duration Quota, Retention, Fallback         Server Side Multi-Cast Supported         VeA	Available	Available Unlin	ited
e	Server / Networks	Authentication: Two factore via Email & SMS, CLAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records 500K, Max Days - S Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Camplex Password Security Policy Supported, with account lockout on N attempts         Eacryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP:HTTPS Support: Mobile App, Web GUI, and API Applications         Mernhership / Permissions Assignment Support         Morrisong Server (Global Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit **New in 128.0***         Password Protection: Proprietary Archive         RTSP Server - Stream independent video channels         Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback         Storage Configuration Management: Directories, Duration Quota, Retention, Fallback         Server Side Multi-Cast Support         VCA A	Available	Available Unlin	ited
e	Server / Networks	Authentication: Two factore via Email & SMS, CLAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP:HTTPS Support: Mobile App, Web CUL, and API Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Clobal Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server)         RTSPS Server - Stream independent video channels         Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback         Storge Configuration Management (Assigned Licenses)         Web & Mobile Client Connections Support         Wet & Mobile Client Connections Support         Wet & Mobile Client Connections Support	Available	Available Unlin	ited
<u>e</u>	Server / Networks	Authentication: Two factore via Email & SMS, CLAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Recording Server Configurable severity levels with colors indicator         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORFILO. Recording Server         Hirthrey Filty Support: Mobile App. Web GUL, and PI Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Gibal Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Protection: Proprietingry Archive         RTSP Server - Stream independent video channels         Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback         Storage Configura	Available	Available Unlin Available	aited Available
<u>e</u>	Server / Networks	Authentication: Two factore via Email & SMS, CLAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP:HTTPS Support: Mobile App, Web CUL, and API Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Clobal Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server)         RTSPS Server - Stream independent video channels         Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback         Storge Configuration Management (Assigned Licenses)         Web & Mobile Client Connections Support         Wet & Mobile Client Connections Support         Wet & Mobile Client Connections Support	Available	Available Unlin Available	aited Available
CORTROL Server Management Console Configuration	External Services Server / Networks	Authentication: Two factore via Email & SMS, CLAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta         Auto Discover: Same Network Recording Server Discovery         Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator         Browser Support: Chrome, and Firefox         Complex Password Security Policy Supported, with account lockout on N attempts         Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption         External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server         Failover Node Role - Used by CORTROL Recording Server         HTTP:HTTPS Support: Mobile App, Web GUI, and API Applications         Membership / Permissions Assignment Support         Mirroring Licensing Server (Global Support Only)         NAS Support: Network & Remote Storage         NTP Server support. Ability to synchronize Windows time settings         Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***         Password Protection: Proprietary Archive         RTSP Server: Stream independent video channels         Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback         Storage Configuration Management (Assigned Licenses)         Web & Mobile Client Connnections Supportd         Web A Mobile C	Available	Available Unlin Available	aited Available
<u>e</u>	ers External Services Server / Networks	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chrome, and Friefox           Complex Password Security Policy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audii Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server           Failover Node Role - Used by CORTROL Recording Server           HTTPHTTPS Support: Mobile App, Web GUI, and API Applications           Membership / Permissions Assignment Support           Mirroring Licensing Server (Global Support Only)           NAS Support: Network & Remote Storage           NTP Server support. Ability to synchronize Windows time settings           Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***           Password Protection: Proprietary Archive           RTSP SMIP/NPRTP           RTSP SMIP/NPRTP           RTSP SMIP/NPRTP           VCA Analytics License Management (Sasped Licenses)           Web & Mobile Client Connections Supported           Web & Mobile Client Connections Supported           Web &	Available	Available Unlin Available	aited Available
<u>e</u>	ers External Services Server / Networks	Authentication: Two factore via Email & SMS, CIAM: 0.Auth 2.0 - Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - S Years, Pre-configurable severity levels with colors indicator           Browser Support: Chrone, and Firefox           Complex Password Security Policy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server           Failover Node Role - Used by CORTROL Recording Server           Mirroring Licensing Server (Global Support Only)           NAS Support: Network & Remote Storage           NTP Server support, Ability to synchronize Windows time settings           Option to choose view source (view by server) in Console's Audit ***New in 128.0***           Password Protection: Proprietary Archive           RTSPS/RTP/NTPRTP           RTS Server - Steam independent video channels           Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback           Sorage Configuration Management: Directories, Duration Quota, Retention, Fallback           Server Side Multi-Cast Support           VCA Analytics License Management (Assigned Licenses)           Web	Available	Available Unlin Available	aited Available Available
<u>e</u>	Clusters External Services Server / Networks	Authentication: Two factore via Email & SMS, CIAM: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chrome, and Friefox           Complex Password Security Policy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audii Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server           Failover Node Role - Used by CORTROL Recording Server           HTTPHTTPS Support: Mobile App, Web GUI, and API Applications           Membership / Permissions Assignment Support           Mirroring Licensing Server (Global Support Only)           NAS Support: Network & Remote Storage           NTP Server support. Ability to synchronize Windows time settings           Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***           Password Protection: Proprietary Archive           RTSP SMIP/NPRTP           RTSP SMIP/NPRTP           RTSP SMIP/NPRTP           VCA Analytics License Management (Sasped Licenses)           Web & Mobile Client Connections Supported           Web & Mobile Client Connections Supported           Web &	Available	Available Unlin Available	aited Available
<u>e</u>	Clusters External Services Server / Networks	Authentication: Two factore via Email & SMS, CIAM: 0.Auth 2.0 - Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chrone, and Firefox           Complex Password Security Policy's Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Audit: External database support for PostgreSQL, MySQL, Microsoft SQL Server           Failover Noke Role - Used by CORTROL Recording Server           HTTP:HTTPS Support: Mobile App, Web GUL and API Applications           Membership / Permissions Assignment Support           Mirroring Licensing Server (Global Sapport Only)           NAS Support: Network & Remote Storage           NPP Server support. Ability to synchronize Windows time settings           Option to choose view source (view by server) in Console's Audit ***New in 128.0***           Password Protection: Proprietary Archive           RTSP-MIPN:PN:PN:PR:RTP           RTSP SMIPN:PN:PN:RTP           RTSP Support: Subgenet used by optored           Web & Mohile Client Connections Supported           Web & Mohile Client Connections Supported           Web & Mohile Client Connections Supported	Available	Available Unlin Available	aited Available Available
<u>e</u>	ers External Services Server / Networks	Authentication: Two factore via Email & SMS, CLAM: O.Am p.2.0. Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chrome, and Firefox           Complex Password Security Policy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Audit: External database support for PostgregOL, MySQL, Microsoft SQL Server           Failover Node Role - Used by CORTROL Recording Server           HTTP: HTTPS Support: Mobile App. Web GUI, and API Applications           Membership, 'Permissions Assignment Support           Mirroring Licensing Server (Global Support Only)           NAS Support: Network & Remote Storage           NPT Server support. Ability to synchronize Windows time settings           Option to choose view source (view by server) in Console's Audit ***New in 1.28.0***           Password Protection: Proprietary Archive           RTSP-SMTP/NTP/RTP           RTSP-SMTP/NTP/RTP           RTSP Server - Stream independent video chanels           Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback           Storage Configuration Management (Assigned	Available	Available Unlin Available	aited Available Available
e	Clusters External Services Server / Networks	Authentication: Two factore via Email & SMS, CLAM: O.Anth 2.0 - Apple, Custom, Google, Microsoft, Okta           Auto Discover, Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chrome, and Firefox           Complex Password Security Policy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Audit: External database support fo PostgreSQL, MSQL, Microsoft SQL Server           Failover Node Role - Used by CORTBOL Recording Server           HTTP:HTTPS Support: Mobile App, Web GUI, and API Applications           Membership / Pennissions Assignment Support           Mirroring Lecnsing Server (Global Support Only)           NAS Support: Network & Remote Storage           Options to choose view source (view by server) in Console's Audit ***New in 1.28.0***           Password Protection: Proprietary Archive           RTSP Server - Stream independent video channels           Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback           Storage Configuration Management: Directorics, Duration Quota, Reenton, Fallback           Server Side Multi-Cast Support           VCA Analytics: Leense Management (Assigned Licenses)	Available	Available Unlin Available	aited Available Available
e	Clusters External Services Server / Networks	Authentication: Two factore via Email & SMS, CIAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta           Auto Discovers: Same Network Recording Server Discovery           Biokmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chrome, and Firefox           Complex Reswork OScuptor Jeology Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Audit: External database support for Noting Server           Failover Node Role - Used by CORTROL Recording Server           Failover Node Role - Used by CORTROL Recording Server           HITTPHTTPS Support: Molit App, Web GUL, and API Applications           Membership / Permissions Assignment Support Only           NAS Support: Network & Rennet Storage           NTP Server support: Abitity to synchronize Windows time settings           Option to choses view source (view objecarve) in Consol's Audit ***New in 1.28.0***           Password Protection: Proprietary Archive           RTSP Struct Support           RTSP Struct Support           Struct Support           Veck A data Benerosci Audit ***New in 1.28.0***           Password Protection: Proprietary Archive           RTSP Struct Support           RTSP Struct Support <t< td=""><td>Available Available Available</td><td>Available Uniim Available Available</td><td>aited Available Available</td></t<>	Available Available Available	Available Uniim Available Available	aited Available Available
e	Clusters External Services Server / Networks	Authentication: Two factors via Email & SMS, CIAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta           Auto Discovers: Sume Network Recording Server Discovery           Biokmark, Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chrome, and Firefox.           Complex Rasword Security Policy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server/Client Communications, Storage, Archival Recording 128-bit AES encryption           External Audit: External database support for PostgresQL, MSQL, Microsoft SQL, Server           Failover Node Role - Used by CORTROL Recording Server           HTTP: HTTPS Support: Molit App, Wch GUL and API Applications           Membership / Permissions Assignment Support           Miroting Licensing Server (Global Support Only)           NAS Support: Notework & Remote Storage           NTS Server support. Ability to synchronize Windows time settings           Option to choose vie source (view Surver (view Server)           RTSPSHTPNRTP           RTSPSHTPNRTP           KTSP Server - Stream independent video channels           Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User ID watermark over live video and playback           Sorage Configuration Management Cosigned Licenses)           Web A doibile Cliener Connectiones Supported           Wa	Available	Available Unlin Available	aited Available Available
<u>e</u>	Failover Clusters External Services Server / Networks	Authenication: Two factore via Email & SMS, CIAN: OAuth 2.0 - Apple, Custom, Google, Microsoft, Okta           Auto Discovers: Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chine, and Firefox           Complex Resource Security Policy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audit Logs, & Other Software Data: - Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Audit: External database support for NotingerOSQL, MSQL, Microsoft SQL Server           Failover Node Role - Used by CORTROL Recording Server           HTTP:HTTPS Support: Molic App, Web GUL, and API Applications           Membership / Permissions Assignment Support           Minoring Licensing Server (Tobida Support Only)           NAS Support: Notive Age Remote Storage           NTP Server support: Abit App, Veb GUL, and PAI Applications           Membership / Permissions Assignment Support Only           NAS Support: Notive Age Negrency in Consol's Audit ***New in 1.28.0***           Password Protection: Porticary Archive           RTSP-STPT:NFTP           RTSP Server - Stream independent video channels           Socrage Configuration Management (Discogrence, Capitred, OAuth token reset, User D watermark over live video and playback           Socrage Configuration Management (Discogrence,	Available Available Available	Available Uniim Available Available	aited Available Available
e	Failover Clusters External Services Server / Networks	Authentication: Two factors via Email & SMS, CLAM: OAuth 20 - Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bockmark Policy; Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chorme, and Priefox           Complex Password Security Policy Supported, with account lockout on N attempts           Encryption: Server Company Tem Sources 2000, MSQL, Microsoft SQL Server           Failover Node Role - Used by CORTROL Recording Server           Failover Node Role - Used by CORTROL Recording Server           Failover Node Role - Used by CORTROL Recording Server           Hirring Licensing Server (Global Support 1001y)           NAS Support: Nobile App, Web GUL and API Applications           Membership / Permissions Assignment Support           Mirring Licensing Server (Global Support 1001y)           NAS Support. Nobile App Applications time settings           Option to-choose view source (view by server) in Console's Audit ***New in 12.8.0***           Password Protections: Propringary Archive           RTSP SMTP:NTPRTP           RTSP Server - Stream Mangement Under Contances           Storage Configuration Management Under Contances           Storage Configuration Management Under Contances           Verx - Staram Mathie Law Very Massabel, PW change, expired, OAuth token reset, User ID watermark over live video and playback	Available Available Available	Available Uniim Available Available	aited Available Available
<u>e</u>	Clusters External Services Server / Networks	Authentication: Two factors via Email & SMS, CLMA: OAuth 20 - Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bookmark Puby; Max Records 500K, Max Day, - 5 Years, Pre-configurable serviry levels with colors indicator           Browser Support, Chrome, and Firefox           Complex Password Security Publy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audii Logs, & Other Software Data - Server Client Communications, Storage, Archival Recording 128-bit AES encryption           External Audi: External database support for PostgreSQL, MixSQL, Microsoft SQL Server           Failover Tode Role - Used by CORTROL Recording Server           Failover Tode Role - Used by CORTROL Recording Server           Membership / Permissions Assignment Support           Mirroring Licensing Server (Olden Support 10h)           NAS Support. Nobite App, Nethoriza Winkows time settings           Option to choose view source (view by server) in Console* Audit ***New in 12.8 0***           Password Protection: Proprietary Archive           RTSP SMTPNTPKTP           RTSP Server: Spream independent vide channels           Security Policy: Disconnect user when disabled, PW change, expired, OAuth token reset, User Do watermark over live video and playback           Sorrage Configuration Management Directories, Darrado Quota, Retention, Fulback           VeX A haubits Client Connections Supported           Web & duabit Cl	Available Available Available	Available Uniim Available Available	aited Available Available Available
<u>e</u>	Failover Clusters External Services Server / Networks	Authentication: Two factors via Email & SMS, CLMA: OAuth 20 - Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chorme, and Firefox           Complex Password Security Policy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audit Log. & Other Software Data: Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Auto: External databases support for PotzerSoft, OL, MSQL, Microsoft SQL Server           Failover Node Role - Used by CORROL Recording Server           Harther Stapport: Molic App, Web GUI, and API Applications           Membership / Permissions Assignment Support           Mirroring Licensing Server (Global Support Oaly)           NAS Support. Noikity on Support Noike ApI ApI ApI ApI Calications           Mirroring Licensing Server (Global Support Oaly)           NAS Support. Noikity on Support. Noikity ApI, Archive           Password Processing Server (Global Moreanize Wind oaks time settings)           Option to choose view source (view by server) in Console's Autit ***New in 12.8.0***           Password Processing Part Api Api Calications, Failback           Server Side Multi Cast Support           VCA Analytics License Management (Assigned License)           Vech & Multi Cast Support	Available Available Available	Available Uniim Available Available	aited Available Available Available
e	Failover Clusters External Services Server / Networks	Authentication: Two factors via Email & SMS, CIAM: OAuth 20. Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable serverity levels with colors indicator           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable serverity levels with colors indicator           Complex Password Security Policy Supported, with account lockoont on N attempts           Encryption: Server Configuration Database, Audit Logs, & Other Software Data - Server Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           Eaternal Audit: External database support for PostgreGOL, MySQL, Microsoft SQL Server           Failver Node Kole - Used by CONTROL Recording Server           Failver Node Kole - Used by CONTROL Recording Server           Further Stress Configuration Database, Studie Taylog Stress           Mirroring Licensing Server Global Support 1001/           NTS Stress Topport: Molik tay spricthorabike Windows time settings           Option to choose view scarce (view by server) in Console's Audit: ***New in 1280****           Password Protection: Proprietary Archive           RTSP SPMTPNTPRTP           RTSP SPMTPNTPRTP           Security Policy: Disconare Luer when disabled, PW change, expired, OAuth token reset, User Do watermark over live video and playback           Sorger Configuration Management: Directorics, Duration Quota, Recentino, Falback           Serve	Available Available Available	Available Uniim Available Available	aited Available Available Available
e	Failover Clusters External Services Server / Networks	Authentication: Two factors via Email & SMS, CLMA: OAuth 20 - Apple, Custom, Google, Microsoft, Okta           Auto Discover: Same Network Recording Server Discovery           Bookmark Policy: Max Records 500K, Max Days - 5 Years, Pre-configurable severity levels with colors indicator           Browser Support: Chorme, and Firefox           Complex Password Security Policy Supported, with account lockout on N attempts           Encryption: Server Configuration Database, Audit Log. & Other Software Data: Server/Client Communications, Storage, Archival Recording 128-bit and 256-bit AES encryption           External Auto: External databases support for PotzerSoft, OL, MSQL, Microsoft SQL Server           Failover Node Role - Used by CORROL Recording Server           Harther Stapport: Molic App, Web GUI, and API Applications           Membership / Permissions Assignment Support           Mirroring Licensing Server (Global Support Oaly)           NAS Support. Noikity on Support Noike ApI ApI ApI ApI Calications           Mirroring Licensing Server (Global Support Oaly)           NAS Support. Noikity on Support. Noikity ApI, Archive           Password Processing Server (Global Moreanize Wind oaks time settings)           Option to choose view source (view by server) in Console's Autit ***New in 12.8.0***           Password Processing Part Api Api Calications, Failback           Server Side Multi Cast Support           VCA Analytics License Management (Assigned License)           Vech & Multi Cast Support	Available Available Available Available Available Available	Available Unlin Available Available	aited Available Available Available

		Fasture list per additions (v1 28 0 Jul 30 2024)			
		Feature list per editions     (v1.28.0 Jul. 30 2024)       Auto Discovery Devices     0       Bukl Edit (Devices): Server, Port, User, Password     0       Device Grouping Assignment     0       CrossLink Advanced - Remote Desktop via VNC     0       Device Diplication Creation     0       Device Support 5.000+ with Manufacture Support 140+     0       External Device Support: Unlimited (Tablets, Mobile Phones - Dynamically Asigned to Available Channels)     0       Fast Navigation: Device Reated lems Navigation to Associated Channel(s)     0       Generic Device Drivers: ONVIF (Profile S), RTSP, PSIA, HTTP, WASAPI     0       GSM generic modem: Support 5 Support of SMS nofitication sending and receiving     0       PEG / Video File as a Device Support     0       Smart Device Creation     0       Single/Multi Device Creation     0	Available	Available	Available
		Video Stream Resolution: Up to 8K Support			
H		Video capture board support Analogue PTZ protocols (via RS-232,422,485 ports)	Available	Available	
		Analogue 112 protocols (in 162 222-242, the publication) to a 2nd/3rd Recording Device(s)	Available	-	
	Channels	Option to set the replication offset when creating a replication channel ***New in 1.28.0***         Audio Channel: Sharable Audio Channel Selection, with support for device API/ONVIF, One-Way / Two-Way audio driver specific           Buik Edit (Channel): Orginization, Recording Configuration, Storage Assignment           Edge Recording: Device specific API, and or ONVIF Profile G Supported           Fast Navigation: Channel Related Items Navigation to Associated Device(s)           Fishey Dewarp engine for 6MP and larger resolutions           Group Channel, Membership, Permissions assignment supported           Image properties: Focus / Brighten / Stauration, Contrast / Sharpness / White balance / Backlight / Wide dynamic / Exposure / Infrared Cutoff           I/O Support: Device API/ONVIF Driver Specific Input / Output Supported           Multi-Stream Support: Primary, Secondary, (RTSP: Hight Stream / Low Stream)           Motion Detector: Device or Server (HP/AP) side support           Multi-Cast Camera Side Support (Dependent upon Device Integration)           Per Channel Passive mode - Pause communications and video streaming until requested           Per Channel Video Overlay Configuration           Recording Configuration Assignment, Bulk & Single Channel Assignment	Available	Available	Available
		Storage Asignment: Per Channel Stream Recording Storage Assignment Show Video: Per Channel Display of Video Stream (Multi Channel Selection not Supported)			
		Smart replication - Event based video stream replication		 -	
		Supplementary Streams: Audio, Motion, VCA, External Data Stream - Alternatively record with substream over mainstream User defined events: Based on generic ONVIF message types		lable Available	
		Video Analytics Configuration per Assigned Channel (License Assignment & Configuration)			
		Video Analytics: CNNE Zones / Settings object time for presence, absence, and intersection by object threshold Video Analytics: CNNE Zones Rules - enter/exit, appear/disappear, Lines/Tripwires - A/B, B/A, any direction	Available		
		Video Analytics: CNNE dedicated database for analytics results history (External recognition results) Video Analytics Engine: Advanced motion & object detection w/Classification	Available	Available	
		Video Analytics Detector: Personal Protective Equipment Detector, 1024x600, 512x512, 320x320, 300x300			
		Video Overlay: Visual alert notification - Indicator linking for color change of visual overlay Video Overlay: Visual shortcuts – Link functionality, Polygonal shaping, advanced options			
ſ	ling	Recording Schedule: Graphical & List Configuration			
	Recording	Recording Profile: Continuous - (Video & Frame Rate / Audio / Motion / Data / VCA) Recording Profile: Motion - (Video & Frame Rate / Audio / Post Recording / Motion Alert)	Available	Available	Available
ŀ	R	Recording Configuration: Pre, Quota (Amount / Duration) / Custom Days / User Calendars Map image: PNG, JPG, TIF, BMP, and Static Gif			
	Maps	Map image: Grid enable/disable and Lock grid enable/disable         Map icon: Channel, Icon (type, color, size), Icon outline (color, Title (color, size), Title outline (color), Radius, Sector, Rotate, Coordinates, Track         Map visual elements: Clone function to copy and paste visual elements (markers)         Geo-Map: OpenStreetMap based Geo-Maps, with selected longiture, latitude location based lock option         Map Grouping: Map / Geo-Map         Map marker: 2D zones, with an option to bind them to user buttons and indicators **1.28,0***         Linking - Camera: Selectable icon size, icon color, icon title color, icon title size         Linking - Camera: Selectable icon size, icon color, icon title color, icon title size         Linking - Layout: Selectable icon size, icon color, icon title color, icon title size         Linking - Layout: Selectable icon size, icon color, icon title color, icon title size         Linking - Layout: Selectable icon size, icon color, icon title size         Linking - Layout: Selectable icon size, icon color, icon title size         Linking - Layout: Selectable icon size, icon color, icon title size         Linking - Layout: Selectable icon size, icon color, icon title color, icon title size         Linking - Dors: Access Control based readers / Door         Linking - Micator (Status): Indicator of status function associated	Available	Available	Available
		Linking - CrossLink Basic: Chromium embedded framework (CEF) based interactive HTML channel - File download (Video, JPD, PDF, CSV) - Dedicate Tab option Linking - Data channel: Channel specific visualization of textual date from a linked Data source - Data ID, selectable channel recording destination			
		Feature list per editions (v1.28.0 Jul. 30 2024)	Essentials	Dusmiss	Global
A	pp 5 G	Custom: Layout Support	Essentials	Premier	Global
	Layout Templates	Channel Grid Support: 1x1 ~ 20x5 (Up to 100 Channels)	Available	Available	Available
		Merge / Unmerge of Selected Channel(s)			
	Layouts	Layout Group: Group Selected Layouts	Available	Available	Available
	Lay	Membership / Permissions Assignment Support			
	eo IIs	Membership / Permissions Assignment Support Video Wall Support: 1x1 ~ 20x5 (Up to 100 Channels)			
	Video Walls	Video Wall Group: Group Selection of Video Walls		-	Available
ŀ		Video Wall Management Assignable to Recording Server Membership / Permissions Assignment Support			
le	User Buttons	User Buttons: User Selectable Event Generator	Available	Available	Available
Onso	Bu	User Buttons: Stand Alone or Channel Assignable User Button Group: Group Selection of User Buttons			
nent (	ual ups	Membership / Permissions Assignment Support Visual Groups: Visual Representation of Grouped Objects	Available	Availabla	Availabla
agen	Visual Groups	Multi-Level Visual Groups: Nested Visual Representation of Grouped Objects	Available	Available	Available
Man	sagt	Crosslink Basic - Channel based webpage navigation (Requires license Crosslink Basic license per channel) Web address and URL supported		available	Available
erver	Webpages	Certificate error tolerance	Available	Requires license	Requires license
OLS	5	User access permissions support Channel Video Stream; Primary or Substream			
CORTROL Server Management Console	Live Podcasts	Channel Audio Stream Supported Real-Time Messaging Protocol Support: YouTub, Wowza, Generic RTMP Unlimited RTMP Channel Support		Unlin	iited
	a xes	Data Source: Profile - Encoding, Mappings, Map Variable Supported			
	Data Source	Data Source Type: TCP - Client / Server: Host - Port, UDP - Port, ComPort - Com Port / Buad Rate / Data Bits / Stop Bits / Parity	Available	Available	Available
-		Time Series Database - Days, Intervals, Tables Data channel: Provides a visualization of textual date from a linked Data source - Data ID, selectable channel recording destination			
	)ata annels	Data channel: Provides a visuanzation of rexutar date from a finited Data source - Data fD, selectable channel recording destination New Data channel: Details / Members/ Membership / Permissions			
	Data Channe	New Data channel group: Details / Membersh / Membership / Permissions			
	ers	Aggregation Support: Count / Time	Available	Available	Available
	Mail Servers	Server Addres: Host URL, IP Address Security Mode: None, STRTTLS, SSL/TLS			
	Mail	Test function: Send test email notification page to an email recipient Unlimited Email Servers Support			
		Unlimited Email Servers Support	1		

		Feature list per editions (v1.28.0 Jul. 30 2024)			
	s	AT command set supported			
Z	E	Generic GSM modern support	Available	Available	Available
3	Modems	SMS Mode: Text, PDU	Available	Available	Avanable
	4	SMS Encoding: ASCII, UCS2			
	· .	MQTT protocol version: 3.1.1, 5			
	MQTT	SSL/TLS version: None, 1.1, 1.2, 1.3	Available	Available	Available
	ğ	MQTT Certificate supported	Available	Available	Available
	~	MQTT last will and testament support			
		Count Based Reports: External Analytics Meta Data, E&A Counters - Reset, Increment, Decrement			
	s	Report Email Auto Send			
	Ę	Report Aggregation: Minute, Hour, Day, Week, Month	Available	Available	Available
	Reports	Report Interval: Current Day, Previous Day, Previous Week, Previous Month	Available	Available	Avanable
	-	Report Chart: Bar, Line, Pie			
		Report Filter: Week Days, Time (Minutes, Hours)			
		Access Control: Door, and Door Permissions (Two-way integration)			
		Continental Access Control (One-way integration, Continental pulls in CORTROL video channels)			
		FEENICS "Keep" - Integration of Door controls, Events, People (Two-way integration)			
	-	Gallagher - Integration of Door controls, Events, People (Two-way integration)			
	Control	GSF Corporation "Visual Access Systems" - Integration of Door controls, Events, People (Two-way integration)	]		
	3	Inner Range Integriti "Access Control"	Available	Available	Available
	SS	Kantech support for the "EntraPass" Access Control System ***New in 1.28.0***	. Trundolo	. Ivunuoic	1 Francoic
	3	Keri Systems "Doors.NET" - Integration of Door controls, Events, People (Two-way integration)			
sol	•4	NEDAP AEOS - Integration of Door controls, Events, People (Two-way integration) - 2023.x supported			
IO		Paxton - Integration of Door controls, Events, People (Two-way integration)			
at C		Satel Integra ETHM-1 Access Control Device: Integration is aimed for Alarm Panel ARM/DISARM events and actions			
CORTROL Server Management Console		Roger RACS 5 - Integration of Door controls, Events, People (Two-way integration)			
lge		Access Control System Events			
ans		Auxiliary Device (Non-video) Events			
W		Device: BLK247 VCA event "Human" (Requires external AI module)			
Ive		Device: BLK247 VCA event "Non-Human" (Requires external AI module)	-		
Sei		Channel: Motion, Motion Started / Stopped	-		
TC		Channel: Recording Error / Recovered	-		
<b>FR</b>		Channel: Video Lost / Restored	-		
)R		Channel Group: Motion, Motion Started / Stopped	_		
G		Channel Group: Recording Error / Recovered	_		
		Channel Group: Video Lost / Restored	-	Available	
		Custom: Variable value (Mapping metadata, POS, from device/camera)	Available		
		Custom: Data Source (Text Source triggering)	-		
		Custom: Digital Input - Channels	-		
		Custom: Door - Access Control Door	-		
	nts	Custom: External - HTTP API Trigger, LPR, Face Recognition	-		
	Events	Custom: External Service - Channels	4		Available
	-	Custom: OPC Client Event - Variable / Value Type / Conditional Operator	4		
		Custom: Event triggered by Modbus device	-		
		Custom: Scheduled - Channel (Periodical / Scheduled)	-		
		Custom: Counter value for camera, and Software side counters	-		
		Custom: Variable Condition - Variable / Type / Conditional Operator / Value	4		
		Custom: VCA - Channels		L	
		Custom: Video Wall -	-		
		Global Server: Disc Excluding Global Server: Connected / Disconnected			
			4		
		Global Server: Failover Activating	-		
		Global Server, Fall-Back Activating	-		
		Global Server: Recording Error	-		
		Global Server: Scheduled Event			4
		SMS Received Event	Available	Available	
		User Button: Activation	1		

	Feature list per editions (v1.28.0 Jul. 30 2024)			
App	Feature is the realition is the realition is (V1.25.0 Jul. 50 2024)	Essentials	Premier	Global
Арр	Access Control - Keri Systems Doors.NET "Events"	Essentiais	Trenner	Giobai
	Access Control - Keep by FEDNCS "Evens"			1
	Channel Pop-up on Screen			
	Channel: hoy-up bayasek on Screen			
	Channel: Generate Alert Substream			
	Channel: Concrate Aret Substeam	-		
	Counter: Reset/Increment/Decrement			
	Custom: Activate Main Stream Recording Profile			
	Custom: Activate Substream Recording Profile	-		
	Custom: Activate PTZ Preset			
	Custom: Activate PIZ Tour			
	Custom: Control Digital Input	1		
	Custom: Create Bookmark (Optional Request User Description)			
	Custom: Device action (Device specific commands)			
	Custom: Device action "Disable"			
	Custom: Device action "Enable"			
	Custom: Device action "Toggle"			1
sole	Custom: Device channel "Enable"			
CI O	Custom: Device channel "Disable"			
2	Custom: Device channel VA "Enable"	1		
lei	Custom: Device channel VA "Disable"	available	Available	
S SCI	Custom: Door Action - Invalid / Lock / Unlock / TempUnlock			
ion ion	Custom: External Service - Target Action (Example: FR - Add Subject)			Available
CORTROL Server Management Console Actions	Custom: Export Snapshot to Local/Mapped/FTP Directory			Available
ver	Custom: Highlight Object on Map - Channel / User Button			
Ser	Custom: Control Modbus device			
7	Custom: OPC Client Action - Variable / Value Type / Value			
ž	Custom: Popup Object - Channel / Layout / Map / Geo-Map / Video Wall (Specify viewport#)			
EX.	Custom: Run Program			
8	Custom: Send Email			
	Custom: Send Email with a Snapshot			
	Custom: Send HTTP/HTTPS request			
	Custom: Send Event to Client - Display a Warning Message Box			
	Custom: Send Event to Client - Display Event in Alerts			
	Custom: Send Event to Client - Display Event in Mobile Application			
	Custom: Send Event to Client - Display Event in Notification Panel			
	Custom: Send Event to Client - Trigger Audio Notification			
	Custom: Send SNMP Trap	-		
	Custom: Start Playing an Audio File	-		
	Custom: Stop Playing an Audio File	-		
	Custom: Write to Application Log	4		
	Custom: Write to Audit Log	4		
	Layout: Pop-up on Screen	4		
	Map: Pop-up on Screen	4		
	SMS Send action (Requires GSM Modem)	4		
	Variable Condition Event based on VCA Counters value (more, less, equal)			
	Window popups for "CrossLink" (controlled via Console) ***New in 1.28.0***			

		Feature list per editions (v1.28.0 Jul. 30 2024)			
		Global Event: Send Global Event			
	2	Condition: Unset / Set			
	Modifiers	Schedules:	Available	Available	Available
	Iod	Counters: Reset / Increment / Decrement	Trundole	Trundote	
	~	OPC	-		
		Indicators			
		Servers: Status / Connection / Synchronization / Version / Failover / Resources (CPU, Memory, Network)	_		
		Devices: Status / Server / Device / IP / Port	-		
		Channels: Status / Server / Resolution / Codec / Substream Resolution / Substream Codec / Recording / Onlinej / Device model / IP / Port / Error / CVA Resources	-		
		Streams: Channel / Stream Type / Status / Server / Device / Storage / Directory / Prerecording time	-		
		Archive Statistics: Channel / Begin Date / End Date / Duration / Size / Protected	-		
		Storage: Status / Server / Path / Encrypted / Free Space / Used Space / Total Space / Queue length / Last Available Time	-		
	50	User Sessions: Title / Remote address / Start Time / Type / Software version / Resources (CPU, Memory, Network) Video Walls: Title / Screen / User / Remote IP	-		
	Ē		-		
	Monitoring	Data sources: Title / Status / Server / Data Received Time / Error External Services: Title / Status / Server / User / Remote Address	Available	Available	Available
	5		-		
sole	~	Reports: Title / Status / Time	-		
Console		Access Control: Status (Normal/Critical), State (Open/Closed/Locked) Alert Flags, Status Time OPC: Status / Connected / Last (Error/Event Error), Status Time	-		
Ĕ		OPC. Status / Omicy 2016 (Enforcement First), Status Time	-		
mei		Indicators, status (volma) chiefe (resvo), operational state, status rine GSM modems: Title / status (Server / Error	-		
agei		Continuents, The' June's Geter' Error	-		
ans		Databases: Title / Status / Server / Error	-		
N		Examination (Table ) Bartery Little			
CORTROL Server Management		Servers: Time / Server / Event / Information / Additional Information			
Se		Servers: Filter - By Time / By Events / By Servers / By Resources	1		
Ю		Users: Time / User / Conection Address / Connection Type / Event / Server / Information / Additional Information	1		
<b>H</b>		Users: Filter - By Time / By Events / By Servers / By Users / By Resources	1		
ğ		Problems: Time / Server / Event / Informatin / Additional Information	1		
Ũ		Event: Internal Server events			
		Event: Resource access - Archive/Bookmark/Live/PTZ/Video Walls/Exported/External (Data/Service)/VCA			
		Event: Server security - Updated/Accessed/Added/Removed/PW Changed/Log (in/out)	Available	Available	
		Event: Uncatagorized			
		Event: Access Control			
	Audit	Events & Actions			Available
	١¥	Event: External Services - Extneral Service/Service Group (Added/Removed/Updated)			
		Event: Installation - Remote Update Request			
		Event: Recording Configuration/Profile/Schedule (Added/Removed/Updated)			
		Event: Resource Administration (Added/Disabled/Removed/Updated)			4
		Event: Failover management - Added / Removed / Updated		-	-
		Event: Rule Modifiers, Action/Event/E&A Rule/Global Event/Mail Server (Added/Removed/Updated)	4		
		Event: Time (All/Day/Week/Month)			
		Event: When data is skipped when replicating ***New in 1.28.0***	Available	Available	
		Event: Resources (Server, User, Channel, Device, Recording, Layout, Organization, Map, Map Group, Event, Action, Mail Server, Layout Template, Failover Cluster,			
		Network, Visual Group, Video Wall, User Button, External Servce, Data Source, Counter, Report, Door, Access Control, Digital Certificate, Indicator	4		
		Export to CSV			

	Feature list per editions (v1.28.0 Jul. 30 2024)			
Арр	Features	Essentials	Premier	Global
Portable Player Functions	Features           Dewarp support for Playback of Native Archived Data           Proprietary Archive Playback - Playback of CORTROL's Native Archived Data           Library listing of CORTROL Exported Archived Data           Archive Search Navigation:           Archive Search Caledard (MonthDayTime): All Visible Channels, or Per channel           Archive Search Caledard (MonthDayTime): All Visible Channels, or Per channel           Archive Search Caledard (MonthDayTime): All Visible Channels, or Per channel           Copy Exported Video to user defined media, option of Portable player           Export Video: With Without Audo - Selected Channel, All Channels Combined, All Channels Separate           Export Video: With Without Audo - Selected Channel, All Channels Orebuilte Channels (Distribute Channels)           Format: MP3 audio           Geo-Maps Playback with Mobile GPS meta data support           Playback Channel Statistics: Recordin Ery Codec. Resolution	Essentials	Premier	Global Available

	Feature list per editions (v1.28.0 Jul. 30 2024)		<b>D</b> 1	al L L
App	Features	Essentials	Premier	Global
	Client Application UI Restrictions - To hide UI elements	-		
	Panes: Layouts	-		
	Panes: Layout > Local Layout Templates			
	Panes: Layouts > Local Layouts	-		
	Panes: Layouts > Local Layout Sequences Panes: Layouts > Shared Layouts	-		
		-		
	Panes: Layouts > Server Layout Templates Panes: Channels	-		
		-		
	Panes: Playback Channels	-		
	Panes: Alarms	-		Available
	Tabs: Live	-		
	Tabs: Playback			
	Tabs: Sequence Explorer	-		
	Tabs: Smart Search			
	Tabs: Alerts			
	Tabs: Library			
SI	Tabs: Reports			
Functions	Tabs: Video Wall	Available	Available	
ă	Tabs: External Services (LPR, FR, and HTTP API modules)	rivanabie	rivanabic	Available
E.	Tabs: Data Sources			
	Tabs: Access Control			
	Menu buttons: File			
	Menu buttons: Edit			
	Menu buttons: View			
	Menu buttons: Tools			
	Menu buttons: Help	]		
	Menu buttons: Connections	-		
	Menu buttons: Video Analytics Conntections			
	Live Toolbar: Multidisplay Setup Button	1		
	Live Toolbar: Screen Contents Button	1		
	Server Connection Dialog: Remember Password Option	1		
	Live Alarm Tabs: Create new tabs	1		
	Live Alarm Tabs: Lock/unlock existing tabs			
	Live Alarm Tabs: Edit locking tabs	1		
	Live Alarm Tabs: Edit longching tabs	1		
	Cookies: Clear cookies upon Client application exit (Related to use of Crosslink Basic Web URL)	1		

Server/Console/Client 1		Feature list per editions     (v1.28.0 Jul. 30 2024)       Chinese (Simplified, PRC)	Available		
Server/Console/Client 1		Czech (Czech Republic)           Duch (Belgium)           English (England)           English (England)           German (Germany)           Indonesian (Indonesian)           Italian (Italy)           Korean (Korea)           Latvian (Latvia)           Malay (Malaysia)           Polish (Poland)	Available		
Server/Console/Client		Dutch (Belgium) English (England) English (United States) French (France) German (Germany) Indonesian (Indonesian) Italian (Italy) Korean (Korea) Latvian (Latvia) Malay (Malaysia) Polish (Poland)	Available		
Server/Console/Client		English (England)         English (United States)         French (France)         German (Germany)         Indonesian (Indonesian)         Indian (Italy)         Korean (Korea)         Latvian (Latvia)         Malay (Malaysia)         Polish (Poland)	Available		
Server/Console/Client		English (United States)           French (France)           German (Gremany)           Indonesian (Indonesian)           Italian (Italy)           Korean (Korea)           Latvian (Latvia)           Malay (Malaysia)           Polish (Poland)	Available		
Server/Console/Client		French (France)           German (Germany)           Indonesian (Indonesian)           Italian (Italy)           Korean (Korea)           Latvian (Latvia)           Malay (Malaysia)           Polish (Poland)	Available		
Server/Console/Client	Language Support	German (Germany)           Indonesian (Indonesian)           Indian (Italy)           Korean (Korea)           Latvian (Latvia)           Malay (Malaysia)           Polish (Poland)	Available		
Server/Console/Client	Language Support	Indonesian (Indonesian) Italian (Italy) Korean (Korea) Latvian (Latvia) Malay (Malaysia) Polish (Poland)	Available		
Server/Console/Clien	Language Support	Italian (Italy) Korean (Korea) Latvian (Latvia) Malay (Malaysia) Polish (Poland)	Available		
Server/Console/C	LanguageSupp	Korean (Korea) Latvian (Latvia) Malay (Malaysia) Polish (Poland)	Available		
Server/Consol	LanguageSt	Latvian (Latvia) Malay (Malaysia) Polish (Poland)	Available		1
Server/Co	Languag	Malay (Malaysia) Polish (Poland)	rivanabie	Available	Available
Server	Lang	Polish (Poland)		Available	Available
Ser	La		-		1
		Portuguese (Brazil)			1
		Russian (Russia)			
		Serbian (Cyrillic, Serbia)			1
		Slovenian (Slovenia)	1		
		Spanish (Mexico)			1
		Spanish (Spain)			1
		Thai (Thailand)			1
		Turkish (Turkey)	-		1
		Ukrainian (Ukraine)			
		Archive Playback: Per Channel Playback, GoTo Date/Time			1
		Battery Intensive Decoding Icon (When Software Decoding is Required)	-		
		Chrome Cast Supported Codec Decoder: Hardware / Hardware & Software / Per Codec Configuration: JPEG / H.264 / H.265 / VP8		Available	
		Louee Decoder: Hardware / Hardware & Sottware / Per Codec Configuration: JPEU / H.204 / H.205 / VP8 Channel Sets: Create / Modify (User Created Channel Groups) Codec Decoder: Hardware / Hardware / Hardware & Sottware / Per Codec Configuration: JPEU / H.205 / VP8 Channel Sets: Create / Modify (User Created Channel Groups)			
		Chamter sets. Creater Modiny (User Creater Chemice Groups) Edge Recording Storage Restrictions; (100/200/S00)MB, (1/25/10/20)GB, All Available Space			
		Lage Recording storage restrictions, (10/200-300/ML (1/2)/10/20/ED, AI Available Space			
		Event Notifications E&A Notifications Pushed from Server			
		GPS Meta Data: Stream Device Location with Video to Server			
		Languag Support: English, French, Italian, Dutch, Polish, Russian			
		Layout Options: 1x1, 2x1, 2x2, 3x2			
9	s	LDAP/AD Support			
7	ŝ	Local Storage Support: Internal / SD Card (Device dependent)			1
1 2	Ň.	Mobile OS Support: Android / Android TV / iOS / iPadOS	Available		Available
e E	oile	Mobile Camera: Back/Front, Codec, Resolution (Up to 4K), Bitrate, FPS, Microphone			
3	Mobile / MacOS	Maintain Aspect Ratio On/Off			
		Network: WiFi & Mobile Data (Celular data), WiFi Only (VPN Supported)	-		
~		Panic Button: One Touch Quick Launch Streaming Panic Server: Target Server Streaming to	-		
Vel		ranc server: rarget server succamp to PTZ: Control / Presets / Tours	-		1
1 pr		Server List: List of Servers to connect to (Single Server Connection)			1
e ai		Snapshot: Save to Photos iOS / Save to Local Folder Android			(
Mobile and Web		Time Zane Support: Client, Server	1		
W		TLS 1.2 support added (TLS 1.0/1.1 deprecated)	1		
		User Buttons: Support for Server Side User Buttons	]		
		Video Statistics Display: Codec, Bitrate, Frame Rate, Resolution			
		Video Stream: Auto / Main Stream / Sub Stream			
		Widgets: Update Interval - 30Sec, (1/2/5/10/15/30)Minutes, 1 Hour			
		Archive Playback	4		
		Browser Support: Chrome, FireFox (Internet Explorer / Edge / Safari Not Supported)	4		
		Custom view layouts	-		
		Layout Options: 1x1, 1x2, 2x1, 2x2	4		
		Languag Support: English, French, Italian, Dutch, Polish, Russian LDAP/AD Support	1		
	۹	LDAP/AD support TIS 1.2 support added (TLS 1.0/1.1 deprecated)	Available	Available	Available
10.11		It's Le support autor (TES LW). I deprécateu) Towaya audio support Towaya audio support	1		
		1 wo-way autor support PTZ control, presets PTZ con	1		
		Receive audio from Client GUI	1		
		Substrem playback	1		
		Save snapshok	1		
		Server connections		Unlim	ited
		Video & audio streaming from mobile devices	Available	Available	Available